

Kasco® 2HP Multi-Display Floating Fountain

6 different spray patterns in one fountain



NEW REDWOOD

22' Tall x 7' Wide Narrow Geyser



LINDEN

18' x 4' Inner & 9' x 30' Outer Tier



NEW SPRUCE

19' Tall x 10' Wide Geyser



JUNIPER

8' Tall x 46' Wide "V"



WILLOW

12.5' Tall x 28' Wide "V"




BIRCH (No Nozzle)

12' Tall x 11' Wide Geyser



- Longer-life top and bottom ball bearings
- Environmentally friendly oil-filled motor with a hard-face internal mechanical seal and external lip seal for protection against leaks.
- Flood oil lubricated for excellent heat dissipation.
- Highly efficient, lower power consumption than competitive equipment
- Superior dependability in salt-water or other corrosive environments. All external metal motor, float, and hardware components are of stainless steel composition and protected by a sacrificial zinc anode.
- Requires minimal maintenance. We recommend cleaning the stainless steel motor housing once or twice per year and replacing the sacrificial zinc anode when visibly corroded.
- ETL listed to stringent UL and CSA Safety Standards





LINDEN DISPLAY WITH LIGHTS AT DUSK



CanadianPond.ca Products Ltd.

Tel: 450-243-0976 Fax: 450-243-1834 Email: info@canadianpond.ca